

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	DRYING AGENT		
PRODUCT CODE	SEA14409	MANUFACTURED FOR	Hillyard Inc.
ISSUE DATE	05/03/01	STREET ADDRESS	9322 Baythorne Drive
SUPERCEDES	01/31/01	CITY, STATE ZIP	Houston, Texas 77041
		PHONE	1-800-399-8489

EMERGENCY TELEPHONE NUMBER
1-800-535-5053

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS No.	EXPOSURE LIMITS			OTHER LIMITS
		OSHA PEL/TLV	ACGIH TLV	STEL	
Alkoxylated Alcohols C6-10	68987-81-5	NE	NE	NE	NA

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW	Causes eye irritation Harmful if swallowed
---------------------------	---

POTENTIAL HEALTH EFFECTS	
INGESTION	Nausea and diarrhea
INHALATION	Not likely to occur under conditions of use.
EYE CONTACT	Irritation
SKIN CONTACT	None

SECTION 4 – FIRST AID MEASURES

INGESTION	Drink large quantities of water or milk. DO NOT INDUCE VOMITING. See a physician.
INHALATION	Not likely to occur under condition of use.
EYE CONTACT	Flush with water for 15 minutes. See a physician if irritation persists.
SKIN CONTACT	Flush with water.
NOTE TO PHYSICIAN	Treatment based on judgment of the physician in response to reactions of the patient.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT / METHOD	NA	FLAMMABLE LIMITS	ND
% VOLATILE	NA		
EXTINGUISHING MEDIA	Dry chemical, water mist, alcohol foam.		
SPECIAL FIRE FIGHTING PROCEDURES	Firefighters should wear a self-contained breathing apparatus as in all chemical fires.		
FIRE AND EXPLOSION HAZARDS	None		

SECTION 6 – ACCIDENTAL RELEASE MEASURES

RESPONSE TO SPILLS	Stop leak. Dilute spilled material with water.
--------------------	--

SECTION 7 – HANDLING AND STORAGE

HANDLING PRECAUTIONS	Wash hands before eating. Keep container tightly closed when not in use.
STORAGE PRECAUTIONS	Store in a cool, dry place.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTIONS

HYGIENIC PRACTICES	Normal procedures for good hygiene. Observe label precautions. Use personal protection equipment.
ENGINEERING CONTROLS	Use general mechanical ventilation to remove vapors at the source. Eyewash station is recommended.

	RESPIRATOR	Not required
X	GOGGLES / FACE SHIELD	Required; Chemical splash type
	APRON	Not required
	GLOVES	Not required
	BOOTS	Not required

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Green	BOILING POINT	>212° F
ODOR	Surfactant	VAPOR PRESSURE	NA
PH	8.2	VAPOR DENSITY	NA
SPECIFIC GRAVITY	1.025	EVAPORATION RATE (butyl acetate=1)	NA
SOLUBILITY IN WATER	NA		

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY		STABLE	X		UNSTABLE	
CONDITIONS TO AVOID	No special precautions beyond standard safe industrial practices.					
INCOMPATIBILITY	None					
HAZARDOUS PRODUCTS OF DECOMPOSITION	Oxides of carbon					
POLYMERIZATION		WILL NOT OCCUR	X		MAY OCCUR	
CONDITIONS TO AVOID						

SECTION 11 – TOXICOLOGICAL INFORMATION

CARCINOGENICITY

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
X	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910,Z

OTHER EFFECTS

ACUTE	May cause eye irritation. May cause nausea and diarrhea if ingested.
CHRONIC	None known.
ORAL LD/50	Unknown.

SECTION 12 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	Diluted material may be flushed to sewer.
----------------	---

SECTION 13 – TRANSPORT INFORMATION

DOT CLASSIFICATION		HAZARDOUS			NOT HAZARDOUS	X
DESCRIPTION	NA					
SEATEX HM CODE	000					

SECTION 14 – OTHER INFORMATION

HMIS CLASSIFICATION

1	BLUE	HEALTH HAZARD
0	RED	FLAMMABILITY
0	YELLOW	REACTIVITY
None	WHITE	SPECIAL HAZARD

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by Seatex Corporation in connection with the use of this information.